

**Amendments To The Claims:**


This listing of claims will replace all prior versions, and listings, of claims in the application:

What is claimed is:

**CLAIMS:**

1-28 (Cancelled).

29. (New) A compound of formula (I) or a pharmaceutically acceptable salt or solvate thereof comprising:



wherein:

R<sup>1</sup> represents -C<sub>3-7</sub> cycloalkyl optionally substituted by C<sub>1-3</sub> alkyl;

R<sup>2</sup> represents hydrogen, -C<sub>1-6</sub> alkyl, -X-C<sub>3-8</sub> cycloalkyl, -X-aryl, -X-heterocyclyl, -X-heteroaryl, -X-C<sub>3-8</sub> cycloalkyl-Y-C<sub>3-8</sub> cycloalkyl, -X-C<sub>3-8</sub> cycloalkyl-Y-aryl, -X-C<sub>3-8</sub> cycloalkyl-Y-heteroaryl, -X-C<sub>3-8</sub> cycloalkyl-Y-heterocyclyl, -X-aryl-Y-C<sub>3-8</sub> cycloalkyl, -X-aryl-Y-aryl, -X-aryl-Y-heteroaryl, -X-aryl-Y-heterocyclyl, -X-heteroaryl-Y-C<sub>3-8</sub> cycloalkyl, -X-heteroaryl-Y-aryl, -X-heteroaryl-Y-heteroaryl, -X-heteroaryl-Y-heterocyclyl, -X-heterocyclyl-Y-C<sub>3-8</sub> cycloalkyl, -X-heterocyclyl-Y-aryl, -X-heterocyclyl-Y-heteroaryl, -X-heterocyclyl-Y-heterocyclyl;

X represents a bond or C<sub>1-6</sub> alkyl;

Y represents a bond, C<sub>1-6</sub> alkyl, CO, COC<sub>2-6</sub> alkenyl, O or SO<sub>2</sub>;

R<sup>3</sup> represents halogen, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, cyano, amino or trifluoromethyl;

n is 0, 1 or 2;

wherein said alkyl, cycloalkyl, aryl, heteroaryl and heterocyclyl groups of R<sup>2</sup> may be optionally substituted by one or more substituents which may be the same or different, and which are selected from the group consisting of halogen, hydroxy, cyano, nitro, =O, trifluoromethyl, trifluoromethoxy, fluoromethoxy, difluoromethoxy, C<sub>1-6</sub> alkyl, pentafluoroethyl, C<sub>1-6</sub> alkoxy, arylC<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkylthio, C<sub>1-6</sub> alkoxyC<sub>1-6</sub> alkyl, C<sub>3-7</sub> cycloalkylC<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkanoyl, C<sub>1-6</sub> alkoxycarbonyl, C<sub>1-6</sub> alkylsulfonyl, C<sub>1-6</sub> alkylsulfinyl, C<sub>1-6</sub> alkylsulfonyloxy, C<sub>1-6</sub> alkylsulfonylC<sub>1-6</sub> alkyl, sulfonyl, arylsulfonyl, arylsulfonyloxy, arylsulfonylC<sub>1-6</sub> alkyl, aryloxy, C<sub>1-6</sub> alkylsulfonamido, C<sub>1-6</sub> alkylamino, C<sub>1-6</sub> alkylamido, -R<sup>4</sup>, -CO<sub>2</sub>R<sup>4</sup>, -COR<sup>4</sup>, C<sub>1-6</sub> alkylsulfonamidoC<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkylamidoC<sub>1-6</sub> alkyl, arylsulfonamido, arylcarboxamido, arylsulfonamidoC<sub>1-6</sub> alkyl, arylcarboxamidoC<sub>1-6</sub> alkyl, aroyl, aroylC<sub>1-6</sub> alkyl, arylC<sub>1-6</sub> alkanoyl, or a group -NR<sup>5</sup>R<sup>6</sup>, -

$C_{1-6}$  alkyl- $NR^5R^6$ ,  $-C_{3-8}$  cycloalkyl- $NR^5R^6$ ,  $-CONR^5R^6$ ,  $-NR^5COR^6$ ,  $-NR^5SO_2R^6$ ,  $-OCONR^5R^6$ ,  $-NR^5CO_2R^6$ ,  $-NR^4CONR^5R^6$  or  $-SO_2NR^5R^6$ , wherein  $R^4$ ,  $R^5$  and  $R^6$  independently represent hydrogen,  $C_{1-6}$  alkyl,  $-C_{3-8}$  cycloalkyl,  $-C_{1-6}$  alkyl- $C_{3-8}$  cycloalkyl, aryl, heterocyclyl or heteroaryl or  $-NR^5R^6$  may represent a nitrogen containing heterocyclyl group, wherein said  $R^4$ ,  $R^5$  and  $R^6$  groups may be optionally substituted by one or more substituents which may be the same or different, and which are selected from the group consisting of halogen, hydroxy,  $C_{1-6}$  alkyl,  $C_{1-6}$  alkoxy, cyano, amino,  $=O$  or trifluoromethyl.

30. (New) The compound of claim 29 or a pharmaceutically acceptable salt or solvate thereof, wherein when  $R^2$  represents  $-X$ -heterocyclyl,  $-X$ -heterocyclyl- $Y$ - $C_{3-8}$  cycloalkyl,  $-X$ -heterocyclyl- $Y$ -aryl,  $-X$ -heterocyclyl- $Y$ -heteroaryl or  $-heterocyclyl$ - $Y$ -heterocyclyl, said heterocyclyl group is attached to  $X$  via a carbon atom.

31. (New) The compound of claim 30 wherein  $R^1$  represents unsubstituted cyclobutyl, cyclopentyl or cyclohexyl.

32. (New) The compound of claim 31 wherein  $R^1$  represents unsubstituted cyclobutyl.

33. (New) The compound of claim 30 wherein  $R^2$  represents:  
hydrogen;  
- $C_{1-6}$  alkyl optionally substituted by a  $-CO_2R^4$  or  $-CONR^5R^6$  group;  
- $X$ - $C_{3-8}$  cycloalkyl- $Y$ -heterocyclyl;  
- $X$ -aryl- $Y$ - $C_{3-8}$  cycloalkyl;  
- $X$ -aryl optionally substituted by one or two halogen,  $C_{1-6}$  alkyl,  $C_{1-6}$  alkoxy,  $-CO_2R^4$ ,  $-CONR^5R^6$ ,  $-NR^5COR^6$ ,  $-SO_2NR^5R^6$  or cyano groups;  
- $X$ -aryl- $Y$ -heterocyclyl optionally substituted by one or two  $=O$ , halogen or  $R^4$  groups;  
- $X$ -heteroaryl optionally substituted by one or two halogen,  $C_{1-6}$  alkyl,  $C_{1-6}$  alkoxy, cyano, nitro,  $-OR^4$ ,  $-COR^4$ ,  $-CO_2R^4$ ,  $-NR^5R^6$ ,  $-NR^5COR^6$ ,  $-CONR^5R^6$  or  $=O$  groups;  
- $X$ -heteroaryl- $Y$ -aryl optionally substituted by a  $C_{1-6}$  alkylsulfonyl or  $-NR^5COR^6$  group;  
- $X$ -heteroaryl- $Y$ -heteroaryl optionally substituted by a  $C_{1-6}$  alkyl group;  
- $X$ -heteroaryl- $Y$ -heterocyclyl optionally substituted by one or two  $=O$ ,  $C_{1-6}$  alkyl,  $-OR^4$  or halogen groups;  
- $X$ -heteroaryl- $Y$ -heterocyclyl optionally substituted by one or two  $=O$ ,  $C_{1-6}$  alkyl,  $-OR^4$  or halogen groups;  
- $X$ -heterocyclyl optionally substituted by a  $C_{1-6}$  alkylsulfonyl,  $C_{1-6}$  alkoxycarbonyl,  $-CO_2R^4$ ,  $-COR^4$  or  $-COR^5R^6$  group;  
- $X$ -heterocyclyl- $Y$ -aryl optionally substituted by a halogen, cyano,  $C_{1-6}$  alkylsulfonyl,  $R^4$  or  $-CONR^5R^6$  group;

-X-heterocyclyl-Y-heterocyclyl optionally substituted by one or two =O or R<sup>4</sup> groups;  
-X-heterocyclyl-Y-C<sub>3-8</sub> cycloalkyl; or  
-X-heterocyclyl-Y-heteroaryl optionally substituted by one or two C<sub>1-6</sub> alkyl, =O, cyano or -CONR<sup>5</sup>R<sup>6</sup> groups.

34. (New) The compound of claim 33 wherein R<sup>2</sup> represents  
-X-aryl optionally substituted by one or two halogen, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, -CO<sub>2</sub>R<sup>4</sup>, -CONR<sup>5</sup>R<sup>6</sup>, -NR<sup>5</sup>COR<sup>6</sup>, -SO<sub>2</sub>NR<sup>5</sup>R<sup>6</sup> or cyano groups;  
-X-aryl-Y-heterocyclyl optionally substituted by one or two =O, halogen or R<sup>4</sup> groups;  
-X-heteroaryl optionally substituted by one or two halogen, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, cyano, nitro, -OR<sup>4</sup>, -CO<sub>2</sub>R<sup>4</sup>, -COR<sup>4</sup>, -NR<sup>5</sup>R<sup>6</sup>, -NR<sup>5</sup>COR<sup>6</sup>, -CONR<sup>5</sup>R<sup>6</sup> or =O groups;  
-X-heteroaryl-Y-heterocyclyl optionally substituted by one or two =O, C<sub>1-6</sub> alkyl, -OR<sup>4</sup> or halogen groups; or  
-X-heterocyclyl-Y-heterocyclyl optionally substituted by one or two =O or R<sup>4</sup> groups.

35. (New) The compound of claim 34 wherein R<sup>2</sup> represents:  
-X-aryl optionally substituted by one or two halogen, C<sub>1-6</sub> alkoxy, -CONR<sup>5</sup>R<sup>6</sup>, -NR<sup>5</sup>COR<sup>6</sup> or cyano groups;  
-X-aryl-Y-heterocyclyl optionally substituted by one or two =O or halogen groups;  
unsubstituted -X-heterocyclyl-Y-heterocyclyl;  
-X-heteroaryl optionally substituted by CON(H)(Me)); or  
-X-heteroaryl-Y-heterocyclyl wherein said heterocyclyl group is optionally substituted by an =O group.

36. (New) The compound of claim 35 wherein R<sup>2</sup> represents:  
-phenyl optionally substituted by one or two fluorine, methoxy, -CON(H)(Me), -NHCOMe or cyano groups;  
-phenyl-pyrrolidinyl optionally substituted by one or two =O or fluorine groups;  
unsubstituted -piperidinyl-CO-morpholinyl;  
-2-pyridinyl or -2-pyrazinyl optionally substituted by CON(H)(Me); or  
-2-pyridinyl-N-pyrrolidinyl wherein said pyrrolidinyl group is optionally substituted by an =O group.

37. (New) The compound of claim 36 wherein R<sup>2</sup> represents 4-methylaminocarbonylpyridin-2-yl.

38. (New) The compound of claim 30 wherein X represents a bond or -CH<sub>2</sub>-.

39. (New) The compound of claim 38 wherein X represents a bond.
40. (New) The compound of claim 30 wherein Y represents a bond, CO, SO<sub>2</sub> or -CO-CH=CH-.
41. (New) The compound of claim 40 wherein Y represents a bond.
42. (New) The compound of claim 30 wherein R<sup>4</sup> represents hydrogen, C<sub>1-6</sub> alkyl, -C<sub>1-6</sub> alkyl-C<sub>3-8</sub> cycloalkyl, aryl, heterocyclyl or heteroaryl optionally substituted by a halogen or C<sub>1-6</sub> alkoxy group.
43. (New) The compound of claim 30 wherein R<sup>5</sup> and R<sup>6</sup> independently represent hydrogen, C<sub>1-6</sub> alkyl, -C<sub>3-8</sub> cycloalkyl, -C<sub>1-6</sub> alkyl-C<sub>3-8</sub> cycloalkyl, aryl or heterocyclyl optionally substituted by a halogen, cyano or C<sub>1-6</sub> alkoxy group or -NR<sup>5</sup>R<sup>6</sup> represents a nitrogen containing heterocyclyl group optionally substituted by one or two =O groups.
44. (New) The compound of claim 43 wherein R<sup>5</sup> and R<sup>6</sup> independently represent hydrogen, C<sub>1-6</sub> alkyl, -C<sub>3-8</sub> cycloalkyl or -C<sub>1-6</sub> alkyl-C<sub>3-8</sub> cycloalkyl.
45. (New) The compound of claim 30 wherein n represents 0 or 1.
46. (New) The compound of claim 45 wherein n represents 1 and R<sup>3</sup> represents a halogen atom or a cyano group.
47. (New) The compound of claim 45 wherein n represents 0.
48. (New) The compound of claim 30 selected from the group consisting of:  
7-Benzyloxy-3-cyclobutyl-2,3,4,5-tetrahydro-1H-benzo[d]azepine;  
7-Benzyloxy-3-cyclopentyl-2,3,4,5-tetrahydro-1H-benzo[d]azepine;  
3-Cyclobutyl-2,3,4,5-tetrahydro-1H-benzo[d]azepin-7-ol;  
3-Cyclopentyl-2,3,4,5-tetrahydro-1H-benzo[d]azepin-7-ol;  
4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1H-benzo[d]azepin-7-yloxy)-piperidine-1-carboxylic acid-*tert*-butyl ester;  
3-Cyclopentyl-7-(piperidin-4-yloxy)-2,3,4,5-tetrahydro-1H-benzo[d]azepine;  
3-Cyclobutyl-7-(piperidin-4-yloxy)-2,3,4,5-tetrahydro-1H-benzo[d]azepine;  
3-Cyclobutyl-7-(piperidin-4-ylmethoxy)-2,3,4,5-tetrahydro-1H-benzo[d]azepine;  
3-Cyclobutyl-7-((*R*)-1-pyrrolidin-2-ylmethoxy)-2,3,4,5-tetrahydro-1H-benzo[d]azepine;  
3-Cyclobutyl-7-((*R*)-pyrrolidin-3-yloxy)-2,3,4,5-tetrahydro-1H-benzo[d]azepine;  
3-Cyclobutyl-7-((*S*)-pyrrolidin-3-yloxy)-2,3,4,5-tetrahydro-1H-benzo[d]azepine;  
3-Cyclobutyl-7-((*S*)-1-pyrrolidin-2-ylmethoxy)-2,3,4,5-tetrahydro-1H-benzo[d]azepine;  
3-Cyclopentyl-7-(piperidin-4-ylmethoxy)-2,3,4,5-tetrahydro-1H-benzo[d]azepine;

4-{1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-methanoyl}-benzonitrile;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-(tetrahydro-pyran-4-yl)-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-cyclohexyl-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-isoquinolin-1-yl-methanone;  
4-((*E*)-3-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-3-oxo-propenyl)-benzonitrile;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-isoquinolin-6-yl-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-(5-methyl-isoxazol-3-yl)-methanone;  
1-Benzothiazol-6-yl-1-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-pyridin-4-yl-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-[4-(1-pyrrolidin-1-yl-methanoyl)-phenyl]-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-thiophen-3-yl-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-furan-3-yl-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-piperidin-1-yl]-1-tetrahydro-pyran-4-yl)-methanone;  
1-[(*R*)-2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-pyrrolidin-1-yl]-1-(tetrahydro-pyran-4-yl)-methanone;  
1-[(*R*)-3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidin-1-yl]-1-(tetrahydro-pyran-4-yl)-methanone;  
1-[(*S*)-3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidin-1-yl]-1-(tetrahydro-pyran-4-yl)-methanone;  
1-[(*S*)-2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidin-1-yl]-1-(tetrahydro-pyran-4-yl)-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-(methanesulfonyl-phenyl)-methanone;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-pyrazin-2-yl-methanone;  
5-{1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-methanoyl}-1*H*-pyridone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-(2,3-dihydro-benzofuran-5-yl)-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-3-methoxy-propan-1-one;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-(2,3-dihydro-benzofuran-7-yl)-methanone;  
4-{1-[4-(3-Cyclopentyl-7-(piperidin-4-ylmethoxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)piperidin-1-yl]-methanoyl}-benzonitrile;  
1-[4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-piperidin-1-yl]-1-[4-(1-pyrrolidin-1-yl-methanoyl)-phenyl]-methanone;  
4-{1-[4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-methanoyl}-benzonitrile;  
1-[4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-pyridin-4-yl-methanone;  
1-[4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-quinolin-6-yl-methanone;  
1-[4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-[4-(1-pyrrolidin-1-yl-methanoyl)-phenyl]methanone;  
1-Biphenyl-4-yl-1-[4-(3-cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-methanone;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-cyclopentyl-methanone;  
4-{1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-piperidin-1-yl]-methanoyl}-benzonitrile;  
4-{1-[(*R*)-2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-pyrrolidin-1-yl]-methanoyl}-benzonitrile;  
4-{1-[(*R*)-3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidin-1-yl]-methanoyl}-benzonitrile;  
4-{1-[(*S*)-3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidin-1-yl]-methanoyl}-benzonitrile;  
4-{1-[(*S*)-2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidin-1-yl]-methanoyl}-benzonitrile;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-2,2-dimethyl-propan-1-one;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-cyclopropyl-methanone;

1-Cyclobutyl-1-[4-(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidine-1-yl]-methanone;

4-{1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-morpholin-4-yl-methanone};

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-piperidin-1-yl]-1-morpholin-4-yl-methanone;

1-[(*R*)-2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-pyrrolidin-1-yl]-1-morpholin-4-yl-methanone;

1-[(*R*)-3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidin-1-yl]-1-morpholin-4-yl-methanone;

1-[(*S*)-3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidin-1-yl]-1-morpholin-4-yl-methanone;

4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidine-1-carboxylic acid diisopropylamide;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-pyrrolidin-1-yl-methanone;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-piperidin-1-yl-methanone;

1-[(*S*)-2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-pyrrolidin-1-yl]-1-morpholin-4-yl-methanone;

4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidine-1-carboxylic acid diethylamide;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-(1,3-dihydro-isoindol-2-yl)-methanone;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-1-(2,3,5,6-tetrahydro-[1,2']bipyrazinyl-4-yl)-methanone;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidine-1-carboxylic acid isopropyl-(2-methoxy-ethyl) amide;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidin-1-yl]-(1,1-dioxo-thiomorpholin-4-yl)-methanone;

4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidine-1-carboxylic acid isopropylamide;

4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidine-1-carboxylic acid (4-fluoro-phenyl)-amide;  
2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N,N*-dimethyl-acetamide;  
2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N*-phenyl-acetamide;  
2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-1-pyrrolidin-1-yl-ethanone;  
2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-1-morpholin-4-yl-ethanone;  
3-Cyclobutyl-7-(1-methanesulfonyl-piperidin-4-yloxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
4-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-piperidine-1-sulfonyl]-benzonitrile;  
3-Cyclobutyl-7-[1-(3,5-dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yloxy]-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
4-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-piperidine-1-sulfonyl]-benzonitrile;  
4-[(*R*)-2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-pyrrolidine-1-sulfonyl]-benzonitrile;  
4-[(*R*)-3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidine-1-sulfonyl]-benzonitrile;  
4-[(*S*)-3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrrolidine-1-sulfonyl]-benzonitrile;  
3-Cyclobutyl-7-(2,4-difluoro-benzyloxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-benzonitrile;  
3-Cyclobutyl-7-(3-methoxy-benzyloxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
3-Cyclobutyl-7-(pyridin-2-ylmethoxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
3-Cyclobutyl-7-(pyridin-3-ylmethoxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
3-Cyclobutyl-7-(pyridin-4-ylmethoxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-benzonitrile;  
4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-benzonitrile;  
6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-1-methyl-1*H*-quinolin-2-one;  
4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-benzoic acid methyl ester;  
4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-benzoic acid;



1-[4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-phenyl]-1-pyrrolidin-yl-methanone;  
1-[4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-phenyl]-1-morpholin-4-yl-methanone;  
1-[4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-phenyl]-1-(4-pyridin-4-yl-piperazin-1-yl)-methanone;  
1-[4-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-phenyl]-1-[4-(4-fluoro-phenyl)-piperazin-1-yl]-methanone;  
3-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-benzoic acid methyl ester;  
3-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-benzoic acid;  
1-[3-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-phenyl]-1-pyrrolidin-yl-methanone;  
1-[3-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-phenyl]-1-morpholin-4-yl-methanone;  
1-[3-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-phenyl]-1-(4-pyridin-4-yl-piperazin-1-yl)-methanone;  
1-[3-(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxymethyl)-phenyl]-1-[4-(4-fluoro-phenyl)-piperazin-1-yl]-methanone;  
6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-nicotinonitrile;  
3-Cyclobutyl-7-(pyridin-2-yloxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
1-[6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-3-yl]-1-morpholin-4-yl-methanone;  
1-[6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-3-yl]-1-pyrrolidin-1-yl-methanone;  
6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-nicotinamide;  
6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N,N*-dimethyl-nicotinamide;  
6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N*-ethyl-*N*-methyl-nicotinamide;  
6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N*-cyclopentyl-nicotinamide;  
1-[6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-3-yl]-1-piperidin-1-yl-methanone;  
1-[2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-4-yl]-1-piperidin-1-yl-methanone;

1-[2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-4-yl]-1-pyrrolidin-1-yl-methanone;  
1-[2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-4-yl]-1-morpholin-4-yl-methanone;  
1-[6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-2-yl]-1-piperidin-1-yl-methanone;  
1-[6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-2-yl]-1-(1,1-dioxothiomorpholin-4-yl)-methanone;  
1-[6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-2-yl]-1-pyrrolidin-1-yl-methanone;  
1-[6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-2-yl]-1-morpholin-4-yl-methanone;  
1-[2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-3-yl]-1-morpholin-4-yl-methanone;  
1-[2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyridin-3-yl]-1-piperidin-1-yl-methanone;  
3-Cyclobutyl-7-(pyrazin-2-yloxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
3-Cyclobutyl-7-(pyrimidin-2-yloxy)-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
7-(5-Bromo-pyrimidin-2-yloxy)-3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N*-methyl-nicotinamide;  
5-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrazine-2-carboxylic acid methyl ester;  
5-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrazine-2-carboxylic acid;  
1-[5-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrazin-2-yl]-1-morpholin-4-yl-methanone;  
5-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrazine-2-carboxylic acid ethylmethyl amide;  
1-[5-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrazin-2-yl]-1-piperidin-4-yl-methanone;  
1-[5-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrazin-2-yl]-1-pyrrolidin-4-yl-methanone;  
5-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrazine-2-carboxylic acid methyl amide;  
3-Cyclobutyl-7-phenoxy-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;

1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-phenyl]-1-morpholin-4-yl-methanone;  
4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N*-cyclopropylmethylbenzamide;  
1-[4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-phenyl]-1-pyrrolidin-1-yl-methanone;  
*N*-Cyclobutyl-4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-benzamide;  
4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N,N*-diethylbenzamide;  
*N*-(2-Cyano-ethyl)-4-(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N*-methylbenzamide;  
1-[3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-phenyl]-1-morpholin-4-yl-methanone;  
3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N*-cyclopropylmethylbenzamide;  
3-Cyclobutyl-7-[4-(morpholine-4-sulfonyl)-phenoxy]-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
4-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N,N*-diethylbenzenesulfonamide;  
7-Benzyloxy-3-cyclohexyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepine;  
3-Cyclobutyl-7-[[2-(1-piperidiny)-5-pyrimidinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-[[2-(1-pyrrolidinyl)-5-pyrimidinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-[[2-(1,1-dioxido-4-thiomorpholinyl)-5-pyrimidinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methyl-2-pyrimidinamine;  
3-Cyclobutyl-7-[[2-(methyloxy)-5-pyrimidinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
1-[4-({4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-1-piperidinyl}carbonyl)phenyl]-2-pyrrolidinone;  
3-Cyclobutyl-7-[(1-[[3-(methylsulfonyl)phenyl]carbonyl]-4-piperidinyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-({1-[(1,1-dioxido-3,4-dihydro-2*H*-1-benzothiopyran-6-yl)carbonyl]-4-piperidinyl}oxy)-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

3-Cyclobutyl-7-(((3S)-3-pyrrolidinylmethyl)oxy)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-Cyclobutyl-7-(((3S)-3-piperidinylmethyl)oxy)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-Cyclobutyl-7-[(3S)-3-piperidinyloxy]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-Cyclobutyl-7-(((3S)-1-(4-morpholinylcarbonyl)-3-piperidinyl)methyl)oxy)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-Cyclobutyl-7-(((3S)-1-(4-morpholinylcarbonyl)-3-pyrrolidinyl)methyl)oxy)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-Cyclobutyl-7-(((3S)-1-(4-morpholinyl carbonyl)-3-piperidinyl)oxy)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
4-(((3S)-3-(((3-Cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)oxy)methyl)-1-piperidinyl)carbonyl) benzonitrile;  
4-(((3S)-3-(((3-Cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)oxy)methyl)-1-pyrrolidinyl)carbonyl) benzonitrile;  
4-(((3S)-3-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)oxy]-1-piperidinyl)carbonyl)benzonitrile;  
3-Cyclobutyl-7-(((3S)-1-(tetrahydro-2H-pyran-4-ylcarbonyl)-3-pyrrolidinyl)methyl)oxy)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-Cyclobutyl-7-(((3S)-1-(tetrahydro-2H-pyran-4-ylcarbonyl)-3-piperidinyl)methyl)oxy)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-Cyclobutyl-7-(((3S)-1-(tetrahydro-2H-pyran-4-ylcarbonyl)-3-piperidinyl)oxy)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
6-{4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)oxy]-1-piperidinyl}-3-pyridinecarbonitrile; 6-{4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)oxy]-1-piperidinyl}-N-(cyclopropylmethyl)-3-pyridinecarboxamide;  
7-({1-[5-(1-Azetidinylcarbonyl)-2-pyridinyl]-4-piperidinyl}oxy)-3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepine;  
3-Cyclobutyl-7-({1-[5-(4-morpholinylcarbonyl)-2-pyridinyl]-4-piperidinyl}oxy)-2,3,4,5-tetrahydro-1H-3-benzazepine;  
6-{4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)oxy]-1-piperidinyl}-N-methyl-3-pyridinecarboxamide;  
2-{4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)oxy]-1-piperidinyl}-4-pyridinecarbonitrile;  
3-Cyclobutyl-7-[[1-(2-pyrazinyl)-4-piperidinyl]oxy]-2,3,4,5-tetrahydro-1H-3-benzazepine;  
Ethyl 4-[(3-cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)oxy]butanoate;  
4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1H-3-benzazepin-7-yl)oxy]butanoic acid;

3-Cyclobutyl-7-[[4-oxo-4-(1-piperidinyl)butyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

3-Cyclobutyl-7-[[4-oxo-4-(1-pyrrolidinyl)butyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-cyclopentylbutanamide;

4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methylbutanamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-(1-methylethyl)-2-pyrazinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-(tetrahydro-2*H*-pyran-4-yl)-2-pyrazinecarboxamide;

7-[[5-(1-Azetidinylcarbonyl)-2-pyrazinyl]oxy]-3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N,N*-diethyl-2-pyrazinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-[2-(methyloxy)ethyl]-2-pyrazinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-ethyl-2-pyrazinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2-pyrimidinecarbonitrile;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2-pyrimidinecarboxylic acid;

3-Cyclobutyl-7-[[2-(4-morpholinylcarbonyl)-5-pyrimidinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-(cyclopropylmethyl)-2-pyrimidinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-ethyl-2-pyrimidinecarboxamide;

7-[[2-(1-Azetidinylcarbonyl)-5-pyrimidinyl]oxy]-3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-ethyl-*N*-methyl-2-pyrimidinecarboxamide;

*N*-Cyclobutyl-5-[(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2-pyrimidinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-(tetrahydro-2*H*-pyran-4-yl)-2-pyrimidinecarboxamide;

3-Cyclobutyl-7-[[2-(1-pyrrolidinylcarbonyl)-5-pyrimidinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

3-Cyclobutyl-7-[[2-(1-piperidinylcarbonyl)-5-pyrimidinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methyl-2-pyrimidinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2-pyridinecarboxylic acid;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methyl-2-pyridinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-ethyl-2-pyridinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-ethyl-*N*-methyl-2-pyridinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N,N*-diethyl-2-pyridinecarboxamide;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-ethyl-*N*-[2-(methyloxy)ethyl]-2-pyridinecarboxamide;

3-Cyclobutyl-7-[[6-(1-pyrrolidinylcarbonyl)-3-pyridinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

3-Cyclobutyl-7-[[6-(4-morpholinylcarbonyl)-3-pyridinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

3-Cyclobutyl-7-[[6-(tetrahydro-1,4-oxazepin-4(5*H*)-ylcarbonyl)-3-pyridinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-cyclopentyl-2-pyridinecarboxamide;

6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinecarboxylic acid methyl ester;

6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinecarboxylic acid;

6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-cyclopropyl-3-pyridinecarboxamide;

6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-(1-methylethyl)-3-pyridinecarboxamide;

6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-ethyl-3-pyridinecarboxamide;

*N*-Cyclobutyl-6-[(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinecarboxamide;  
6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-(tetrahydro-2*H*-pyran-4-yl)-3-pyridinecarboxamide;  
6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N,N*-diethyl-3-pyridinecarboxamide;  
6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-[2-(methyloxy)ethyl]-3-pyridinecarboxamide;  
4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-ethyl-*N*-[2-(methyloxy)ethyl]benzamide;  
4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methylbenzamide;  
3-Cyclobutyl-7-(3-pyridinyloxy)-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2-pyridinecarbonitrile;  
3-Cyclobutyl-7-[(5-iodo-2-pyridinyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-[(5-nitro-2-pyridinyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
*N*-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}acetamide;  
3-Cyclobutyl-7-[(5-nitro-1,3-thiazol-2-yl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
*N*-{2-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-1,3-thiazol-5-yl}acetamide;  
3-Cyclobutyl-7-[(5-nitro-2-thienyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine (E211)  
*N*-{5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2-thienyl}acetamide;  
3-Cyclobutyl-7-[[6-(methyloxy)-3-pyridinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2(1*H*)-pyridinone;  
1-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}ethanone;  
3-Cyclobutyl-7-[[5-(1*H*-pyrazol-5-yl)-2-pyridinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-[[5-(5-methyl-1,3,4-oxadiazol-2-yl)-2-pyridinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
1-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}-2-pyrrolidinone;  
1-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}-2-piperidinone;  
1-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}-2-azetidinone;

3-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}-1,3-oxazolidin-2-one;

3-Cyclobutyl-7-[[5-(1*H*-pyrazol-1-yl)-2-pyridinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

3-Cyclobutyl-7-[[5-(3,5-dimethyl-4-isoxazolyl)-2-pyridinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

6-[(3-Cyclopentyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methyl-3-pyridinecarboxamide;

*N*-Methyl-6-[[3-(2-methylcyclopentyl)-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl]oxy]-3-pyridinecarboxamide;

6-[(3-Cyclobutyl-8-iodo-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methyl-3-pyridinecarboxamide;

3-Cyclobutyl-7-iodo-8-[(phenylmethyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

3-Cyclobutyl-7-[[6-methyl-4-(methyloxy)-2-quinolinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

3-Cyclobutyl-7-[[4-(methyloxy)-1,7-naphthyridin-2-yl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

3-Cyclobutyl-7-(1,5-naphthyridin-2-yloxy)-2,3,4,5-tetrahydro-1*H*-3-benzazepine;

*N*-{7-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-6-methyl-1,8-naphthyridin-2-yl}acetamide;

Dimethyl 6-[(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2,3-pyridinedicarboxylate;

Disodium 6-[(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2,3-pyridinedicarboxylate;

2-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-5*H*-pyrrolo[3,4-*b*]pyridine-5,7(6*H*)-dione;

2-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-7-hydroxy-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one;

2-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-6,7-dihydro-5*H*-pyrrolo[3,4-*b*]pyridin-5-one;

6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinamine (E236)

Morpholine-4-carboxylic acid[6-(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy-pyridin-3-yl)-amide;

Piperidine-1-carboxylic acid[6-(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy-pyridin-3-yl)-amide;



Pyrrolidine-1-carboxylic acid[6-(3-cyclobutyl-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepin-7-yloxy)-pyridin-3-yl]-amide;

*N*-[6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepin-7-yloxy)-pyridin-3-yl] isobutyramide;

Tetrahydro-pyran-4-carboxylic acid [6-(3-cyclobutyl-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepin-7-yloxy)-pyridin-3-yl]-amide;

3-Cyclobutyl-7-[5-(4,6-dimethoxy-pyrimidin-2-yl)-pyridin-2-yloxy]-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepine;

3-Cyclobutyl-7-[5-(4-methanesulfonyl-phenyl)-pyrazine-2-yloxy]-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepine;

*N*-{4-[5-(3-Cyclobutyl-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepin-7-yloxy)-pyrazin-2-yl]-phenyl}-acetamide;

3-Cyclobutyl-7-(3,5-dimethyl-pyridin-2-yloxy)-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepine;

3-Cyclobutyl-7-[5-(morpholine-4-sulfonyl)-pyridin-2-yloxy]-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepine;

3-Cyclobutyl-7-(2-methyl-furo[2,3-*c*]pyridin-7-yloxy)-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepine;

2-(3-Cyclobutyl-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepin-7-yloxy)-4-ethoxy-nicotinonitrile;

6-(3-Cyclobutyl-2,3,4,5-tetrahydro-1 *H*-benzo[d]azepin-7-yloxy)-2-methyl-nicotinonitrile;

1-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1 *H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}-5-methyl-2-pyrrolidinone;

1-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1 *H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}-3-methyl-2-imidazolidine;

(4*R*)-1-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1 *H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}-4-hydroxy-2-pyrrolidinone;

*N*-Methyl-6-{[3-(3-methylcyclopentyl)-2,3,4,5-tetrahydro-1 *H*-3-benzazepin-7-yl]oxy}-3-pyridinecarboxamide;

5-{[3-(3-Cyclopentyl-2,3,4,5-tetrahydro-1 *H*-3-benzazepin-7-yl)oxy]-*N*-methyl-2-pyrazinecarboxamide};

*N*-Methyl-5-{[3-(3-methylcyclopentyl)-2,3,4,5-tetrahydro-1 *H*-3-benzazepin-7-yl]oxy}-2-pyrazinecarboxamide;

1-{3-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1 *H*-3-benzazepin-7-yl)oxy]-2-pyrazinyl}-2-pyrrolidinone;

7-[(5-Chloro-2-pyrazinyl)oxy]-3-cyclobutyl-2,3,4,5-tetrahydro-1 *H*-3-benzazepine;

1-{5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2-pyrazinyl}-2-pyrrolidinone;  
7-[(5-Bromo-2-pyrazinyl)oxy]-3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-{5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2-pyrazinyl}-1,3-oxazolidin-2-one;  
3-Cyclobutyl-7-[5-(1,1-dioxo--2-isothiazolidin-2-yl)-pyridin-2-yloxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
1-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}-2-imidazolidinone;  
5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-2-pyrazinecarboxamide;  
4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methyl-3-(methyloxy)benzamide;  
2-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]benzonitrile;  
3-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methyl-4-(methyloxy)benzamide;  
3-Chloro-4-[(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methylbenzamide;  
4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*,3-dimethylbenzamide;  
3-Cyclobutyl-8-[(phenylmethyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine-7-carbonitrile;  
3-Cyclobutyl-7-[(2-fluorophenyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-fluorobenzonitrile;  
4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-fluorobenzoic acid;  
4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-fluoro-*N*-methylbenzamide;  
3-Cyclobutyl-7-[(2-fluoro-4-iodophenyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
1-{4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-fluorophenyl}-2-pyrrolidinone;  
*N*-{4-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-fluorophenyl}acetamide;  
1-[3-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[d]azepin-7-yloxy)-phenyl]-1-pyrrolidin-1-yl-methanone;  
5-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-(tetrahydro-2*H*-pyran-4-yl)-2-pyridinecarboxamide;

3-Cyano-4-[(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methylbenzamide;  
3-Cyclobutyl-7-[[6-(4-morpholinylcarbonyl)-3-pyridazinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methyl-3-pyridazinecarboxamide; 6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-ethyl-*N*-methyl-3-pyridazinecarboxamide;  
3-Cyclobutyl-7-[[4-(4-morpholinyl)-4-oxobutyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-[(1-[[4-(4-morpholinyl)phenyl]carbonyl]-4-piperidinyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-[[1-(cyclopropylacetyl)-4-piperidinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-[(1-[[{(2*R*,6*S*)-2,6-dimethyl-4-morpholinyl]carbonyl]-4-piperidinyl)oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-[[*trans*-4-(4-morpholinylcarbonyl)cyclohexyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
3-Cyclobutyl-7-[[6-(4-morpholinyl)-2-pyrazinyl]oxy]-2,3,4,5-tetrahydro-1*H*-3-benzazepine;  
or a pharmaceutically acceptable salt thereof.


49. (New) The compound of claim 48 selected from the group consisting of:  
5-(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-pyrazine-2-carboxylic acid methyl amide; or  
1-{6-[(3-Cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-3-pyridinyl}-2-pyrrolidinone;  
or a pharmaceutically acceptable salt thereof.

50. (New) The compound of claim 48 which is 6-(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-benzo[*d*]azepin-7-yloxy)-*N*-methyl-nicotinamide or a pharmaceutically acceptable salt thereof.

51. (New) A pharmaceutical composition which comprises the compound of claim 29 or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier or excipient.

52. (New) A process for the preparation of a compound of claim 29 or a pharmaceutically acceptable salt thereof, which process comprises:


(a) reacting a compound of formula (II)



(II)

wherein  $R^1$ ,  $R^3$  and  $n$  are as defined in claim 1, with a compound of formula  $R^2-L^1$ , wherein  $R^2$  is as defined in claim 1 for  $R^2$  or a group convertible thereto and  $L^1$  represents a suitable leaving group selected from a halogen atom or an optionally activated hydroxyl group;

(b) reacting a compound of formula (III)



(III)


wherein  $R^2$ ,  $R^3$  and  $n$  are as defined in claim 1, with a compound of formula  $R^1-L^2$ , wherein  $R^1$  is as defined in claim 1 for  $R^1$  or a group convertible thereto and  $L^2$  represents a suitable leaving group; or

(c) reacting a compound of formula (III) as defined in claim 1, with a ketone of formula  $R^1=O$ , wherein  $R^1$  is as defined in claim 1 for  $R^1$  or a group convertible thereto; or

(d) deprotecting a compound of formula (I) which is protected; and

(e) interconversion to other compounds of formula (I).

53. (New) A method of treatment of neurological diseases which comprises administering to a host in need thereof an effective amount of a compound of formula (I) or a pharmaceutically acceptable salt or solvate thereof:



(I)

wherein:

$R^1$  represents  $-C_{3-7}$  cycloalkyl optionally substituted by  $C_{1-3}$  alkyl;

$R^2$  represents hydrogen,  $-C_{1-6}$  alkyl,  $-X-C_{3-8}$  cycloalkyl,  $-X$ -aryl,  $-X$ -heterocyclyl,  $-X$ -heteroaryl,  $-X-C_{3-8}$  cycloalkyl- $Y-C_{3-8}$  cycloalkyl,  $-X-C_{3-8}$  cycloalkyl- $Y$ -aryl,  $-X-C_{3-8}$  cycloalkyl- $Y$ -heteroaryl,  $-X-C_{3-8}$  cycloalkyl- $Y$ -heterocyclyl,  $-X$ -aryl- $Y-C_{3-8}$  cycloalkyl,  $-X$ -

aryl-Y-aryl, -X-aryl-Y-heteroaryl, -X-aryl-Y-heterocyclyl, -X-heteroaryl-Y-C<sub>3-8</sub> cycloalkyl, -X-heteroaryl-Y-aryl, -X-heteroaryl-Y-heteroaryl, -X-heteroaryl-Y-heterocyclyl, -X-heterocyclyl-Y-C<sub>3-8</sub> cycloalkyl, -X-heterocyclyl-Y-aryl, -X-heterocyclyl-Y-heteroaryl, -X-heterocyclyl-Y-heterocyclyl;

X represents a bond or C<sub>1-6</sub> alkyl;

Y represents a bond, C<sub>1-6</sub> alkyl, CO, COC<sub>2-6</sub> alkenyl, O or SO<sub>2</sub>;

R<sup>3</sup> represents halogen, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, cyano, amino or trifluoromethyl;

n is 0, 1 or 2;

wherein said alkyl, cycloalkyl, aryl, heteroaryl and heterocyclyl groups of R<sup>2</sup> may be optionally substituted by one or more substituents which may be the same or different, and which are selected from the group consisting of halogen, hydroxy, cyano, nitro, =O, trifluoromethyl, trifluoromethoxy, fluoromethoxy, difluoromethoxy, C<sub>1-6</sub> alkyl, pentafluoroethyl, C<sub>1-6</sub> alkoxy, arylC<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkylthio, C<sub>1-6</sub> alkoxyC<sub>1-6</sub> alkyl, C<sub>3-7</sub> cycloalkylC<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkanoyl, C<sub>1-6</sub> alkoxycarbonyl, C<sub>1-6</sub> alkylsulfonyl, C<sub>1-6</sub> alkylsulfinyl, C<sub>1-6</sub> alkylsulfonyloxy, C<sub>1-6</sub> alkylsulfonylC<sub>1-6</sub> alkyl, sulfonyl, arylsulfonyl, arylsulfonyloxy, arylsulfonylC<sub>1-6</sub> alkyl, aryloxy, C<sub>1-6</sub> alkylsulfonamido, C<sub>1-6</sub> alkylamino, C<sub>1-6</sub> alkylamido, -R<sup>4</sup>, -CO<sub>2</sub>R<sup>4</sup>, -COR<sup>4</sup>, C<sub>1-6</sub> alkylsulfonamidoC<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkylamidoC<sub>1-6</sub> alkyl, arylsulfonamido, arylcarboxamido, arylsulfonamidoC<sub>1-6</sub> alkyl, arylcarboxamidoC<sub>1-6</sub> alkyl, aroyl, aroylC<sub>1-6</sub> alkyl, arylC<sub>1-6</sub> alkanoyl, or a group -NR<sup>5</sup>R<sup>6</sup>, -C<sub>1-6</sub> alkyl-NR<sup>5</sup>R<sup>6</sup>, -C<sub>3-8</sub> cycloalkyl-NR<sup>5</sup>R<sup>6</sup>, -CONR<sup>5</sup>R<sup>6</sup>, -NR<sup>5</sup>COR<sup>6</sup>, -NR<sup>5</sup>SO<sub>2</sub>R<sup>6</sup>, -OCONR<sup>5</sup>R<sup>6</sup>, -NR<sup>5</sup>CO<sub>2</sub>R<sup>6</sup>, -NR<sup>4</sup>CONR<sup>5</sup>R<sup>6</sup> or -SO<sub>2</sub>NR<sup>5</sup>R<sup>6</sup>, wherein R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> independently represent hydrogen, C<sub>1-6</sub> alkyl, -C<sub>3-8</sub> cycloalkyl, -C<sub>1-6</sub> alkyl-C<sub>3-8</sub> cycloalkyl, aryl, heterocyclyl or heteroaryl or -NR<sup>5</sup>R<sup>6</sup> may represent a nitrogen containing heterocyclyl group, wherein said R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> groups may be optionally substituted by one or more substituents which may be the same or different, and which are selected from the group consisting of halogen, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, cyano, amino, =O or trifluoromethyl.